



**ZUMALIGHTING**  
QUALITY OUTDOOR SOLUTIONS



MODEL  
**REVOLVE**


TYPE  
**LED**

SERIES  
**BOLLARDS**

**ZUMA LIGHTING LLC**  
325 N LARCHMONT BLVD STE 406, LOS ANGELES, CA 90004  
[INFO@ZUMALIGHTING.COM](mailto:INFO@ZUMALIGHTING.COM) • (310) 975-3126 • [ZUMALIGHTING.COM](http://ZUMALIGHTING.COM)

# ORDERING INFORMATION

<b>Model</b> REVOLVE
<b>Type</b> LED
<b>Series</b> Bollards



FIXTURE	SIZE	SOURCE	VOLTS	LAMP / TEMP	COLOR	OPTIONS
REV (LED)	1044 = 10" dia. x 44"H	10W 15W 20W 30W 40W	U = 120v- 277v  CV = Custom Voltage, Specify	3K = 3000K 4K = 4000K 5K = 5000K	BZ8 = Zuma Bronze  BK = GT Black  WH = Alpine White  SL = Iridium Silver  CC = Custom	D = Dimming (0-10v)  SP = Surge Protection  MGF = Marine Grade Finish  CS = 180° Cutoff Shield  CLED = Color Changing LED*  <i>*Contact factory for more information</i>

## Housing

The fixture housing is fabricated from combination of cast and formed aluminum alloys.

## LED

High performance LEDs utilize state-of-the-art technologies for improved thermal performance. Available with choice of color temperatures ranging from CCT(3000K – 5000K).

## Lens

Lens is fabricated from ultra-durable white acrylic.

## Mounting Options

Cast aluminum base plate secures to the housing for flush mount installation. Mounting kit with anchor bolts, included.

